


pvlab **ROBOT**
CREME

PASTEURIZERS

PG40



TECHNOLOGY EMPOWERING YOUR CREATIVITY

A single device with different functionalities :

PASTEURIZE

COOLS

PASTEURIZERS PG40



Pasteurizes




Cools




- Electronic controls
- Bitzer semi-hermetic compressor
- Water, air or mixed condenser cooling
- Body in stainless steel AISI 304
- CFC-free polyurethane insulation
- R452a refrigerant gas
- Safety device to stop the agitator when the lid is opened
- Direct extraction from the bottom of the tank
- Defrosting of the tank by inversion of the hot gas cycle.
- **Pasteurization program:** For the preparation of mixes prior to blood collection, with the possibility of preservation at +2°C/+3°C for 24 hours.
- **Agitator programming with pause time** only during the cooling phase up to 20°C

RECIPES TABLE


	Prod./H	By cycle	Mini	Maxi
Pasteurization	40L	60L	7L	60L




Extraction handle in closed position



Open tank and mixing arm



Extraction handle in open position



Pull-out and adjustable

TECHNICAL DATA

Tank capacity	40L
Electrical power	3450W - 5A
Voltage and frequency	400V ~ 50Hz
Dimensions L x W x H	60,1 x 76,8 x 133,4 cm 177,6 cm (open lid)
Net weight	145 kg

MIXING ARM



CONTROL PANEL



TECHNICAL DRAWING

